Houston & Harris County

Texas





The CAPA Heat Watch program, equipment, and all related procedures referenced herein are developed through a decade of research and testing with support from national agencies and several universities. Most importantly, these include our partners at the National Integrated Heat Health Information System, the National Oceanic and Atmospheric Administration's (NOAA's) Climate Program Office, and National Weather Service, including local weather forecast offices at each of the campaign sites, The Science Museum of Virginia, and U.S. Forest Service (USDA). Past support has come from Portland State University, the Climate Resilience Fund, and the National Science Foundation. We are deeply grateful to these organizations for their continuing support.





NATIONAL INTEGRATED HEAT HEALTH INFORMATION SYSTEM





Table of Contents

- **4** Executive Summary
- **5** Purpose and Aims
- **6** Campaign Process
- **15** Mapping Method
- 16 Heat Modeling Summary
- **17** Next Steps
- **18** Media
- **20** Photos

- 7 About the Maps
- 8 Initial Observations
- 9 Morning Traverse Points
- **10** Morning Area-Wide
- 11 Afternoon Traverse Points
- 12 Afternoon Area-Wide
- **13** Evening Traverse Points
- 14 Evening Area-Wide





Executive Summary

Major thanks to all of the participants and organizers of the Urban Heat Watch program in Harris County and Houston, Texas. After months of collaboration and coordination, local organizers and volunteers collected thousands of temperature and humidity data points in the morning, afternoon, and evening of a long, hot campaign day on August 7th, 2020.

To learn more about this effort, visit https://www.h3at.org/.

Morning Area-Wide Predictions (6 - 7 am)



Afternoon Area-Wide Predictions (3 - 4 pm)



Evening Area-Wide Predictions (7 -8 pm)





Study Date

August 7th, 2020

84 Volunteers

32 Routes

🔵 max

🔵 mean

o min

Traverse Points

max

🔵 mean

O min

raverse Points

90

80

70

110

100

90

80

70

232,729 Measurements

103.3° Max Temperature

17.1° Temperature Differential

(largest concurrent range of measured temperatures)



of each Heat Watch 2020 campaign city at https://nihhis.cpo.noaa.gov/Urban-Heat-Island-Mapping/Campaign-Cities.



Purpose & Aims

We know that climate-induced weather events have the most profound impact on those who have the least access to financial resources, historically underserved communities, and those struggling with additional health conditions. Infrastructure is also at risk, which can further compromise a region's capacity to provide essential cooling resources.

CAPA Strategies offers an unparalleled approach to center communities and infrastructure facing the greatest threat from the impact of increasing intensity, duration, and frequency of extreme heat. This report summarizes the results of a field campaign that occurred on August 7th, 2020, and with it we have three aims:

Provide high resolution descriptions of the distribution of temperature and humidity (heat index) across an urban area

Engage local communities and create lasting partnerships to better understand and address the inequitable threat of extreme heat

Bridge innovations in sensor technology, spatial analytics, and community climate action to better understand the relationships between urban microclimates, infrastructure, ecosystems, and human well-being.

With a coordinated data-collection campaign over several periods on a hot summer day, the resulting data provide snapshots in time of how urban heat varies across neighborhoods and how local landscape features affect temperature and humidity.



Campaign Process

CAPA Strategies has developed the Heat Watch campaign process over several iterations, with methods well established through peer-reviewed publications¹, testing, and refinement.

The current campaign model requires leadership by local organizers, who engage community groups, new and existing partner organizations, and the media in generating a dialog about effective solutions for understanding and addressing extreme heat.

CAPA provides training, equipment, and support to the recruited community groups as they endeavor to collect primary temperature and humidity data across a metropolitan region.

The seven main steps of the campaign process are summarized to the right. An overview of the analytical modeling methodology is presented later in this report and described at full length in peer-reviewed publications.

¹ The most relevant and recent publications to the Heat Watch campaign process include:

Shandas, V., Voelkel, J., Williams, J., & Hoffman, J., (2019). Integrating Satellite and Ground Measurements for Predicting Locations of Extreme Urban Heat. Climate, 7(1), 5. https://doi.org/10.3390/cli7010005

Voelkel, J., & Shandas, V. (2017). Towards Systematic Prediction of Urban Heat Islands: Grounding Measurements, Assessing Modeling Techniques. Climate, 5(2), 41. https://doi.org/10.3390/cli5020041



1. Set Goals

Campaign organizers determine the extent of their mapping effort, prioritizing areas experiencing environmental and social justice inequities. CAPA then divides this study area into sub-areas ("polygons"), each containing a diverse set of land uses and land covers.

2. Establish

Organizers recruit volunteers, often via non-profits, universities, municipal staff, youth groups, friends, family, and peers. Meanwhile, CAPA designs the data collection routes by incorporating important points of interest such as schools, parks, and community centers.

3. Prepare

Volunteers attend an online training session to learn the why and how of the project, their roles as data collectors, and to share their personal interest in the project. Participants sign a liability and safety waiver, and organizers assign teams to each polygon and route.

4. Activate

With the help of local forecasters, organizers identify a high-heat, clear day (or as near to one as possible) and coordinate with their volunteer teams. Once confirmed, CAPA ships the sensor equipment and bumper magnets to be distributed to campaign participants.

5. Execute

Volunteer teams conduct the heat campaign by driving and/or bicycling sensor equipment along pre-planned traverse routes at coordinated hour intervals. Each second the sensors collect a measurement of ambient temperature, humidity, longitude, latitude, speed and course.

6. Analyze

Organizers collect and return the equipment, and CAPA analysts begin cleaning the data, as described in the Mapping Method section below, and utilize machine learning algorithms to create predictive area-wide models of temperature and heat index for each traverse.

7. Implement

Campaign organizers and participants review the Heat Watch outputs (datasets, maps, and report), and campaign teams meet with CAPA to discuss the results and next steps for addressing the distribution of extreme heat in their community.



About The Maps



The following sections present map images from the Heat Watch campaign and modeling process. Two sets of maps comprise the final results from the campaign process, and they include:



Point temperatures collected in each traverse period, filtered to usable data.



Area-wide heat maps, displaying either the modeled temperature or heat index across the entire study area at each traverse period.



The data are classified by natural breaks in order to clearly illustrate the variation between warmer (red) and cooler (blue) areas across the map.



Note that the scales are different between the traverse point and area-wide maps due to the predictive modeling process.

How does your own experience with heat in these areas align with the map?

Find your home, place of work, or favorite park on the maps and compare the heat throughout the day to your personal experience.



What about the landscape (trees, concrete buildings, riverside walkway) do you think might be influencing the heat in this area?



Initial Observations



The distribution of heat across a region often varies by qualities of the land and its use. Here are several observations of how this phenomenon may be occurring in your region.





Gulfton

Apartment complexes with homogeneous design, wide parking surfaces, and little vegetation can create residential hot spots.



Spring Branch

Open green space in Houston may help to mitigate the heat concetrated by surrounding land uses and impervious surfaces.



Gulfgate

Areas dominated by roads, highways, and parking lots appear to create hot spots that affect nearby residential developments.



Morning Traverse Points

Temperature (6 - 7 am)







Morning Area-Wide Predictions

Temperature (6 - 7 am)







Afternoon Traverse Points

Temperature (3 - 4 pm)







Afternoon Area-Wide Predictions

Temperature (3 - 4 pm)







Evening Traverse Points

Temperature (7 - 8 pm)







Evening Area-Wide Predictions

Temperature (7 - 8 pm)







Mapping Method





The most relevant and recent publications include:

Shandas, V., Voelkel, J., Williams, J., & Hoffman, J., (2019). Integrating Satellite and Ground Measurements for Predicting Locations of Extreme Urban Heat. Climate, 7(1), 5. https://doi.org/10.3390/cli7010005

Voelkel, J., & Shandas, V. (2017). Towards Systematic Prediction of Urban Heat Islands: Grounding Measurements, Assessing Modeling Techniques. Climate, 5(2), 41. https://doi.org/10.3390/cli5020041



Field Data

Like all field campaigns, the collection of temperature and humidity data requires carefully following provided instructions. In the event that user error is introduced during the data collection process, outputs may be compromised in quality. While our team has a developed a multi-stage process for assessing and reviewing the datasets, some errors cannot be identified or detected, and therefore can inadvertently compromise the results. Some examples of such outputs may include temperature predictions that do not match expectations for an associated landcover (e.g. a forested area showing relatively warmer temperatures). We suggest interpreting the results in that context.

Prediction Areas

The traverse points used to generate the areas wide maps do not cover every square of the studied area. Due to the large number of data collected, however, our predictive models support the extension of prediction to places beyond the traversed areas. We suggest caution when interpreting area wide values that extend far beyond the traversed areas

*Accuracy Assessment: To assess the strength of our predictive temperature models, we used a 70:30 "holdout cross-validation method," which consists of predicting 30% of the data with the remaining 70%, selected randomly. An 'Adjusted R-Squared' value of 1.0 is perfect predictability, and 0 is total lack of prediction. Additional information on this technique can be found at the following reference: Voelkel, J., and V Shandas, 2017. Towards Systematic Prediction of Urban Heat Islands: Grounding measurements, assessing modeling techniques. Climate 5(2): 41.



Next Steps



To further explore how your community's heat distribution affects local populations and infrastructure, we have created a suite of tools that help to organize these variables in user-friendly interfaces.



Social Vulnerability

Use Heat Watch data and publicly available demographic information to explore the intersection of urban heat and social vulnerability to better understand the needs of local communities facing the most acute impacts of a warming planet.

Built Environment Scenarios

Using computer models and municipal infrastructure data, this tool shows the effect on heat of changing the built environment. We explore scenarios of increased paving versus greening on heat at the scale of a city block.





Growing Shade

Using publicly available data on sociodemographics and land use, this tool identifies areas where expanding tree canopy would have the most direct benefit to social and environmental conditions.



Moving beyond data acquisition and decision support tools, CAPA offers resources and services to build and implement climate preparedness strategies. At CAPA we aim to make climate planning as accessible as possible by offering multiple scales of resources to fit your needs and capacity. Explore openly available tools, request place-specific analyses, or engage our team in facilitating outreach and planning processes.





Reply



Houston/Harris County To Hold Largest Single-Day, Community-Led Heat Mapping Effort In U.S. History

Scientists will embark on a 300-square-mile effort to measure and map urban heat in the region.

By Press Release Desk, News Partner Aug 5, 2020 11:23 am CT

HOUSTON

🖬 Like 1 Share 🔒



Beat the Heat, A H3AT Mapping Playlist



Volunteers map hottest spots in Houston on 'Heat Day'



@capa_heatwatch

Created by H3ATBEATS • 45 songs, 2 hr 49 min

 (\heartsuit) (\cdots)





www.capastrategies.com



Media 2





By Melissa Gaskill Texas Climate News

Heat kills more people than any other weather-related hazard. According to the Centers for Disease Control and Prevention. extreme heat kills more than 600 people in the United States each vear.

Rising temperatures fueled by



These 'street scientists' want to find the hottest neighborhoods in Houston Currie Engel | Aug. 7, 2020 | Updated: Aug. 8, 2020 2:24 p.m.

on on Friday, August 7, 2020. Ap will be driving or walking pred ites throughout the day on Friday to record the most accurate tempe

Exactly How Hot Is Houston? A New Study Will Map This Out.

The director of the Nature Conservancy's Houston Healthy Cities program says the "heat map" is a "community science effort."

C TEXAS STANDARD

August 6, 2020 2:44 p By Michael Marks













Thermal imagery photo taken at Richey Elementary by a campaign participant using the CAPA-provided FLIR ONE iPhone attachment. The color gradient of white to purple indicates relatively hotter to relatively cooler surface temperatures.

























